

VIAK GROUP
OFFICE
PARTITIONS

CONTENT

 INTRODUCTION ---- PAGE-01-03

 80 MM PARTITIONING SYSTEM ---- PAGE-08-11

 DOOR SYSTEM ---- PAGE-16-18

 100 MM PARTITIONING SYSTEM ---- PAGE-04-07

 45 MM PARTITIONING SYSTEM ---- PAGE-12-15

 JOINT PROFILE ---- PAGE-19



Introducing ViakGroup


Viak Group responds to the current market need for enclosed yet collaborative spaces within today's workplace and educational environments. Its multi functional properties provide an area for individual head space, collaborative meetings and also supports more private interaction.

With these new workplace environments continually growing in popularity, Viak Design have created pod systems that offer enhanced user experience. Our focus is to provide optimum space in terms of comfort while still retaining the flexibility that standard pods offer.


With this in mind, we have spent considerable time working on how this can be achieved. We have thought about lighting and air quality as well as sound and visual privacy. Creating a space that can be customised using textures, colour and creative lighting to provide a work area that has personality and a sense of place.



10 Things About Viak




1 Viak has 8, 10 & 12mm thick glass panels with a 10mm sliding door for increased levels of soundproofing/ speech privacy.




2 The introduction of frameless glass panels gives a seamless finish.




3 'Select the Weather' Human Centric Lighting promotes a person's well-being, mood and health.




4 Ceilings include larger quadrant fabric wrapped tiles, giving a cleaner aesthetic.




5 Aluminium crown as standard, reducing the visible impact of the ceiling mounted airflow unit.




6 Improved ventilation outlet providing increased airflow into the pod.



7 India industry leading acoustic performance, with up to 37dB.



8 Optional selection of decorative claddings including plain & grooved wood, cork and faux concretes.



9 Bespoke neonist signage and embedded vertical LED lighting options.



10 Lockable door options available.


Listen, Hear.

Noise problems and acoustics can affect many individuals' working conditions within the workplace and also the surrounding areas.

Often those quiet moments and one-to-one meetings, are affected by the background noise being 'too loud'. Viak and its India market-leading acoustics, has been designed to give the user optimal privacy and noise control.




1 Viak provides an advanced acoustic solution with an impressive noise suppression rating of 37dB – superior to other models available on the market.



2 Good acoustic management is about the balance between sound reflection and sound absorption.



3 Viak have a carefully considered blend of hard, sound reflecting surfaces and soft, sound absorbing surfaces.



100 MM PARTITIONING SYSTEM


Viak Group 100mm partition systems offer a cost effective method of achieving sound insulated and fire rated Offices. These systems provide solid and professional looking partition walls, suitable for general office use and prestigious locations such as boardrooms.

100 MM

OFFICE PARTITIONS SYSTEM

Features

- Standard track section : 100mm x 25mm, 100mm x 50mm
- Slim in design, the standard partition suite can be used with any stud thickness.
- Comfortable of glass thickness of 10mm / 10.8mm to 12mm / 12.8mm.
- Single door frame sizes to allow for flush door 35mm or 45mm.
- Partition height can be offered upto 3000mm.
- Single glazed systems.
- Sound insulation capacity of 32 – 34 dB.
- Brooklyn series along with Double glazed systems.



100 MM Partitions

100mm aluminium partition systems are the thickest of our range and offer the highest acoustic insulation and therefore the highest level of privacy. We supply the tracks, glazing, doors and Muraspec wall coverings to suit 100mm partitions at a low cost, so you can complete your partition system with ease and without exhausting your budget.

- Select the Weather - Fully controllable Human Centric Lighting system
- Pivot door option is available
- Lockable door options available
- Textured effects – cork, concrete, wooden cladding, rust
- AV column and TV bracket
- Powder coated finish
- Lightbox
- Neonist lighting
- LED light panel
- LED light strips

100 MM

OFFICE PARTITIONS SYSTEM

Quality Office Partitions For your workplace

Single Glazed Partition

100mm x 25mm & 100mm x 50mm



Single Glazed Partitions

With a sleek and minimal design, our single glazed partitions systems suit a range of acoustic and aesthetic requirements.





Add Ons

- Select the Weather - Fully controllable Human Centric Lighting system
- Pivot door option is available
- Lockable door options available
- Textured effects – cork, concrete, wooden cladding, rust
- AV column and TV bracket
- Powder coated finish
- Lightbox
- Neonist lighting
- LED light panel
- LED light strips

100 MM

OFFICE PARTITIONS SYSTEM

Elevation Detail



100 MM Partitions

VIAK 100 MM System is noted for its exceptional performance, strength and acoustical qualities. The system uses a 64mm stud plasterboard construction and is engineered to accommodate 45 mm thick full height doors.

System strength is obtained through a patented Interlock mechanism and a series of concealed screw flutes that fastens the system securely. The overall performance attributes of this system has made it an established specification product amongst designers and specifier alike.

Add Ons

- Select the Weather - Fully controllable Human Centric Lighting system
- Pivot door option is available
- Lockable door options available
- Textured effects – cork, concrete, wooden cladding, rust
- AV column and TV bracket
- Powder coated finish
- Lightbox
- Neonist lighting
- LED light panel
- LED light strips

80 MM PARTITIONING SYSTEM

VIK 80 MM Partitioning System are designed to be used in conjunction with Saint Gobain Gypsum, the world's leader in Gypsum Wall and Ceiling Solutions. The use of Gyproc wall solutions with VIK ensures maximum sound and fire rating performance in compliance with relevant ASTM and TIS standards.

VIK 80 MM System's premium quality surface finish is achieved through a proprietary polymer etched, sandblasted process.

80 MM

OFFICE PARTITIONS SYSTEM

Features

- Standard track section : 80mm x 25mm
- Slim in design, the standard partition suite can be used with any stud thickness.
- Comfortable of glass thickness of 10mm / 10.8mm to 12mm / 12.8mm.
- Single door frame sizes to allow for 35mm or 45mm doors.
- Partition height can be offered upto 3000mm.
- Single glazes systems/Brooklyn series
- Sound insulation capacity of 30-33 db.




Single Glazed Partitions

Our single glazed systems can accommodate a range of glass thicknesses to suit the required acoustic performance and are more cost-effective than double glazed systems. This makes them a great choice for projects with a tighter budget.



Add Ons

- Select the Weather - Fully controllable Human Centric Lighting system
- Pivot door option is available
- Lockable door options available
- Textured effects – cork, concrete, wooden cladding, rust
- AV column and TV bracket
- Powder coated finish
- Lightbox
- Neonist lighting
- LED light panel
- LED light strips



80 MM

OFFICE PARTITIONS SYSTEM

Viak Group **Single Glazed** Partitions!

Single Glazed Partition

80mm x 25mm



Single Glazed Partitions

Single glazed Polar is designed with the minimum of components & is available in straight lines, faceted or curved. Door sets are available frameless or with timber / powder coated aluminum frames together with glass / veneered timber door leaves. Sliding frameless doors are also available.



Add Ons

- Select the Weather - Fully controllable Human Centric Lighting system
- Pivot door option is available
- Lockable door options available
- Textured effects – cork, concrete, wooden cladding, rust
- AV column and TV bracket
- Powder coated finish
- Lightbox
- Neonist lighting
- LED light panel
- LED light strips


80 MM

OFFICE PARTITIONS SYSTEM


Elevation Detail



A



C



B

Single Glazed Partitions

Viak 80 MM Partitioning System are designed to be used in conjunction with Saint Gobain Gypsum, the world's leader in Gypsum Wall and Ceiling Solutions. The use of Gyproc wall solutions with Viak ensures maximum sound and fire rating performance in compliance with relevant ASTM and TIS standards.

Viak 80 mm System's premium quality surface finish is achieved through a proprietary polymer etched, sandblasted process.

Add Ons

- Select the Weather - Fully controllable Human Centric Lighting system
- Pivot door option is available
- Lockable door options available
- Textured effects – cork, concrete, wooden cladding, rust
- AV column and TV bracket
- Powder coated finish
- Lightbox
- Neonist lighting
- LED light panel
- LED light strips

45 MM PARTITIONING SYSTEM

VIK 45 MM Glazed Partitioning System modules are separated by slim, vertical aluminium mullions, or alternatively clear dry, transparent PETG joints can be used to create seamless contours.


Our frame less glazed glazed doors or veneer timber doors combine to provide the designer with an endless variation of minimalist workspace options.

45 MM

OFFICE PARTITIONS SYSTEM

Features

- Standard track section : 45mm x 25mm
- Slim in design, the standard partition suite can be used with any stud thickness.
- Comfortable of glass thickness of 10mm / 10.8mm to 12mm / 12.8mm.
- Single door frame size to allow for flush door 35mm.
- Partition height can be offered upto 3200mm.
- Single glazed systems.
- Sound insulation capacity of 28 – 32 dB.



Single Glazed Partitions

The 45 mm single glazed office partition is a superior lightweight profile system. It is based on a 45mm x 20mm glazing seal and bead with a selection of door frame options. 45 mm single glazed frame provide an elegant and cost effective design solutions.

Add Ons

- Select the Weather - Fully controllable Human Centric Lighting system
- Pivot door option is available
- Lockable door options available
- Textured effects – cork, concrete, wooden cladding, rust
- AV column and TV bracket
- Powder coated finish
- Lightbox
- Neonist lighting
- LED light panel
- LED light strips

45 MM

OFFICE PARTITIONS SYSTEM

Viak Group 45 MM Single Glazed Partitions!

Single Glazed Partition

45mm x 25mm



Single Glazed Partitions

Single glazed Polar is designed with the minimum of components & is available in straight lines, faceted or curved. Door sets are available frameless or with timber / powder coated aluminum frames together with glass / veneered timber door leaves. Sliding frameless doors are also available.



Add Ons

- Select the Weather - Fully controllable Human Centric Lighting system
- Pivot door option is available
- Lockable door options available
- Textured effects – cork, concrete, wooden cladding, rust
- AV column and TV bracket
- Powder coated finish
- Lightbox
- Neonist lighting
- LED light panel
- LED light strips



45 MM

OFFICE PARTITIONS SYSTEM

Elevation Detail



A



45 MM Partitions

VIK 45 MM Glazed Partitioning System modules are separated by slim, vertical aluminium mullions, or alternatively clear dry, transparent PETG joints can be used to create seamless contours.

Our frame less glazed doors or veneer timber doors combine to provide the designer with an endless variation of minimalist workspace options.

Add Ons

- Select the Weather - Fully controllable Human Centric Lighting system
- Pivot door option is available
- Lockable door options available
- Textured effects – cork, concrete, wooden cladding, rust
- AV column and TV bracket
- Powder coated finish
- Lightbox
- Neonist lighting
- LED light panel
- LED light strips

DOOR FRAME SYSTEM

Viak Pivot Doors are beautifully designed aluminium pivot doors that integrate closely with our partitioning system.

Viak Pivot Doors feature smooth profiles with defined edges and square profile beads, and integrate closely with our proprietary European manufactured hardware to allow a wide variety of installation options.

DOOR FRAME SYSTEM

Viak Group Door Frame Systems

Door Frame 45 x75 MM




Door Frame Systems

Whether you're looking for a centre, horizontal, vertical or double pivot door system. Pivot door can accommodate your complete design requirements. And with our proprietary stainless steel or stain etched surface finish that comes standard with all our products, designers are able to explore unique heights of design finesse with Viak systems and solutions.



Add Ons

- Select the Weather - Fully controllable Human Centric Lighting system
- Pivot door option is available
- Lockable door options available
- Textured effects – cork, concrete, wooden cladding, rust
- AV column and TV bracket
- Powder coated finish
- Lightbox
- Neonist lighting
- LED light panel
- LED light strips

Elevation Door Frame 45 x75 MM



A



Door Frame Systems

Whether you're looking for a centre, horizontal, vertical or double pivot door system. Pivot door can accommodate your complete design requirements. And with our proprietary stainless steel or stain etched surface finish that comes standard with all our products, designers are able to explore unique heights of design finesse with Viak systems and solutions.

Add Ons

- Select the Weather - Fully controllable Human Centric Lighting system
- Pivot door option is available
- Lockable door options available
- Textured effects – cork, concrete, wooden cladding, rust
- AV column and TV bracket
- Powder coated finish
- Lightbox
- Neonist lighting
- LED light panel
- LED light strips

Joint Profile & Skirting

Joint Profile & Skirting

Accessories for a proper laying of the floors Connections between different types of floor, joints for different thickness or different surfaces, profiles that finish the edges of the coating, modular systems for raised flooring: here you can find many solutions to realise up to the last detail the proper laying of the floors.




“L” Profile 12 x 12 mm



“L” Profile 25 x 25 mm




“T” Profile 7.5, 16 & 20 mm



“U” Profile 6 & 10 mm



“Z” Profile



Skirting Profile 50, 75 & 100 mm

Add Ons

- Select the Weather - Fully controllable Human Centric Lighting system
- Pivot door option is available
- Lockable door options available
- Textured effects – cork, concrete, wooden cladding, rust
- AV column and TV bracket
- Powder coated finish
- Lightbox
- Neonist lighting
- LED light panel
- LED light strips

Office partitioning solutions
that transform office spaces
to meet the needs of businesses.



OUR VALUABLE CLIENTS



Professional Office Partitions Manufacturer



www.viakgroup.com

Viak Group Pvt. Ltd.

Corporate Office Address :

D-26, Lower Ground Floor, Sector - 3,
Noida - 201301, U.P., India.

Mumbai Office Address :

403, Mahatarangan, Opp Mega Mall,
New Link Road, Oshiwara, Andheri-West,
Mumbai - 400102.

Phone : 91-120-411-3242 | Email : info@viak.in | Web: www.viak.in & www.viakwindows.com

OUR PRESENCE: DELHI/NCR | BANGALORE | MUMBAI | HYDERABAD | DUBAI

Manufacturing Unit

Delhi/NCR :

Plot No.-17 MUP II, Ecotech-III,
Greater Noida- - 201306, U.P., India.

Bangalore :

169 kannur Village, Hennur, Bagalur
Main Road, Bangalore - 562149,
Karnataka, India.

